

Ordinance No 175

An Ordinance to amend section 2, of Ordinance
15, entitled and ordinances relating to the
Ord No. 125 material to be used, and the manner of building
Rep 1506 sidewalks and crosswalks.

Be it ordained by the Common Council of the
City of Albany:

Sec 1st: The crosswalks to be of red or yellow pine (3) three
inches thick, by not less than (8) eight, nor more than (12) twelve
inches wide, evenly planed, and to be nailed on bearings
to be made of red pine, (3) three by (6) six inches, of small
knobs; said bearing to be doublets, and placed two (2) inches
apart where the ends of deck planks come together, (7)
several of such being to be under each section; said cross
walks to be from (3) three to (6) six feet wide, as the
Committee on Streets and Public Property may direct.
The edges of said crosswalks to be leveled, and a layer
of gravel (3) three inches deep, and (3) three feet wide,
to be spread on each side of said crosswalks, and to
extend the whole length of the same, the gravel to be raised
to the level of the plank.

Sec 2nd: All ordinances, or parts of ordinances in con-
flict, with this ordinance are hereby repealed.
See 14th This ordinance to be in force, from and
after its publication.

Passed the Council March 11th 1884.

Approved March 11th 1884

Attest: J. Lindsay Hill,
A. F. Stanton, Mayor.

(City Recorder).

State of Oregon.

Borne by the Clerk { \$5

(City of Albany)

J. A. F. Stanton City Recorder of the
City of Albany Yamhill County Oregon, hereby certifies
that the foregoing ordinance, was published in the
"State Right Sentinel," a newspaper published in said
City of Albany, on the 14th day of March 1884.

Witness my hand, and the seal of the City of Albany
this 14th day of March 1884.

J. A. F. Stanton
(City Recorder)