

## Ordinance NO 214

Ord. No.  
214

An ordinance adopting the reports of the City Surveyor showing the Surveyors Boundaries and descriptions and plats of the parts of laundry Lots and Blocks in the City of Albany necessary for rights of way for the construction and maintenance of divers Sewers over and across such portions of such lots and blocks, Said reports having been filed with the Recorder of said City on the 9<sup>th</sup> day of June, 1891.

Whereas; The Common Council of the city of Albany did on the 2<sup>nd</sup> day of June - 1891 declare by resolution No 5 that it is expedient to lay and construct a sewer, on private property, through Block No. 102 in Hacklemans Addition to said City, at or near the center thereof and in a direction parallel with the north boundary line of said block; and also that it is expedient to construct a sewer through Block No. 109 in said addition across private property at or near the center of said Block, and running in a direction parallel with the north boundary line of said Block; and also that it is expedient to construct a sewer through and across Block No. 111 in said addition at or near the center of said Block, and running in a direction parallel with the north boundary line of said Block, and across private property therein; and also that it is expedient to construct a sewer through and across Block No. 113 in said addition at or near the center of said Block, and running in a direction parallel with the north boundary line, and across private property therein and declared at said time by resolution No. 6 that it is necessary to construct a sewer through and across Block No. 14 in Hacklemans Second addition in said City, at or near the center of said Block and running in a

direction parallel with the north boundary line of said Block and across private property therein; and also that it is expedient to construct a sewer through and across Block No. 15 in said Addition to said City at or near the center of Block and running in a direction parallel to the north boundary line thereof and across private property therein; and also declared by resolution No. 7; that it expedient to construct a sewer through and across lots 3, 4, 5 and 6 in Block No. 25 in Hackleman's Second Addition in said City, at or near the center of said Block and running in a direction parallel with the south line of said lots 3 and 4, and with the north line of said lots 5 and 6 and across private property therein; and also declared at said time by resolution No. 8 that it is expedient to construct a sewer through lots 1, 2, 7 and 8 respectively in each of the Blocks Nos. 12, 13, and 14, in the Eastern addition in said city, in a direction parallel with the south line of said lots 1 and 2, and with the north line of said lots 7 and 8 in said Blocks respectively, and at or near the center of each of said Blocks Nos. 12, 13, and 14, and across private property therein; and

Whereas; said Council did on said 2<sup>nd</sup> day of June, 1891, direct the Surveyor of said City, to survey and make a full and perfect description and plat of the boundaries of the respective portions of said lots and Blocks necessary to be appropriated as rights of way for the laying and construction of such sewers respectively, and to report such survey in writing to said Council at its regular meeting on the 9<sup>th</sup> day of June 1891.

and

Whereas; said surveyor did make such surveys as so directed and on the 9th day of June 1891, did report in writing to said Council, that he had made the following surveys and description of the boundaries of the portions of lots. 1.2.3.4.5.6.7 and 8 in Block No. 102. in Hacklemans addition to said City of Albany, as necessary for the construction of a sewer over and across such lots. Beginning at a point on the Western boundary of Block No. 102 in Hacklemans Addition to the city of Albany Linn County Oregon 102 feet from the north western corner of said Block and running thence Easterly and parallel with the northern boundary of said Block 142 feet; thence southerly and parallel with the northern boundary of said Block 10 feet thence westerly and parallel with the northern boundary of said Block 142 feet to the western boundary of said block; thence northerly along said boundary to the place of beginning; thence beginning at a point on the East boundary line of Block 102. in Hacklemans addition to the city of Albany Linn County Oregon 102 feet from the north east corner of said Block and running thence westerly and parallel with the northern boundary of said Block 142 feet; thence southerly and parallel with the Eastern boundary of said Block 20 feet; thence Easterly and parallel with the southern boundary of said Block 142 feet to the Eastern boundary of said Block; thence northerly along said boundary to the place of beginning then beginning at a point in Block 102 in Hacklemans addition to the city of Albany Linn County Oregon, 71 feet from the Western and 102 feet from the Southern boundary of said Block and running thence

Easterly and parallel with the southern boundary of said Block 71 feet, thence Westerly and parallel with the western boundary of said Block 10 feet; thence Westerly and parallel with the southern boundary of said Block 71 feet; thence southerly to the place of beginning;

Then beginning at a point on the west boundary of Block 102 in Hackleman's addition to the city of Albany Oregon 102 feet from the south west corner of said Block and running thence Easterly and parallel with the southern boundary of said Block 71 feet; thence northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the southern boundary of said Block 71 feet to the Western boundary of said Block; thence southerly along said boundary to the place of beginning.

And did also report in writing on said date to said Council that he had made the following survey of the portions of lots 1, 2, 3, 4, 5, 6, 7 and 8, in Block No 109 in Hackleman's addition to said City as necessary for a right of way for the construction and maintaining of a sewer over and across said portion of said lots in said Block; beginning at a point on the western boundary of Block 109 in Hackleman's addition to the city of Albany Linn County Oregon 102 feet from the north west corner of said Block and running Easterly and parallel with the western boundary of said Block 132. 5 feet; thence southerly and parallel with the Western boundary of said block 10 feet; thence Westerly and parallel with the ~~western~~<sup>northern</sup> boundary of said Block 132. 5 feet to the Western boundary of said Block; thence along said boundary to the place of beginning; then beginning at a point on the Eastern boundary of Block 109 in Hackleman's addition to the City of Albany Linn County Oregon 102

feet from the northeast corner of said Block and running thence Westerly and parallel with the northern boundary of said block 132.5 feet; thence Southerly and parallel with the eastern boundary of said Block 10 feet; thence Easterly and parallel with the southern boundary of said Block to the eastern boundary of said Block; thence northerly along said boundary to the place of beginning; thence beginning at a point on the eastern boundary of Block 109 in Hacklemans addition to the city of Albany Linn County Oregon 102 feet from the south east corner of said Block and running thence westerly and parallel with the southern boundary of said Block 132.5 ft thence northerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the southern boundary of said Block 132.5 feet to the eastern boundary of said block; thence along said boundary southeasterly to the place of beginning; then beginning at a point on the Western boundary of Block 109 in Hacklemans addition to the city of Albany Oregon 102 feet from the south west corner of said Block and running thence Easterly and parallel with the southern boundary of said Block 132.5 feet; thence northerly and parallel with the western boundary of said Block 10 feet thence Easterly and parallel with the southern boundary of said Block 132.5 feet to the Western boundary of said block; thence Southerly along said boundary 10 feet to the place of beginning.  
And did also report in writing on said date to said Council that he had made the following survey of the portions of lots 1.2.3.4.5.6.7 and 8 in Block 111 in Hacklemans addition to said City as necessary for a

right of way for the construction and main-  
taining of a sewer over and across said lots  
in said Block; Beginning at a point on the  
Western boundary of Block 111 in Hackleman's  
addition to the city of Albany Oregon 103 $\frac{1}{2}$  feet  
from the north west corner of said Block  
and running thence Eastly and parallel  
with the Northern boundary of said Block 132.5  
feet; thence southerly and parallel with the  
Western boundary of said Block 10 feet;  
thence Westerly and parallel with the Northern  
boundary of said Block 132.5 feet to the west-  
ern boundary of said Block; thence northerly  
along said boundary 10 feet to the place of  
beginning; then beginning at a point on the  
Eastern boundary of Block 111 in Hackleman's  
Addition to said city of Albany Linn County  
Oregon 103 $\frac{1}{2}$  feet from the north East corner  
of said Block and running thence westerly  
and parallel with the Northern boundary of  
said Block 132.5 feet; thence southerly and  
parallel with the Eastern boundary of said  
Block 10 feet; thence Eastly and parallel with  
the Northern boundary of said Block 132.5 feet  
to the Eastern boundary of said Block;  
thence northerly along said boundary 10 feet  
to the place of beginning; and then beginning  
at a point on the Eastern boundary of  
Block 111 in Hackleman's addition to the  
city of Albany Linn County Oregon 103 $\frac{1}{2}$  feet  
from the south east corner of said Block  
and running thence Westerly and parallel  
with the Southern boundary of said Block  
10 feet; thence Eastly and parallel with  
the Southern boundary of said Block 66.25  
feet to the Eastern boundary of said Block;  
thence southerly along said boundary 10  
feet to the place of beginning; then  
beginning at a point in Block 111 in  
Hackleman's addition to the city of Albany,

Oregon which is  $103\frac{1}{2}$  feet distant from the south and 66.25 feet distant from the East boundary of said Block and running thence Westerly and parallel with southern boundary of said Block 66.25 feet; thence northerly and parallel with the southern boundary of said Block 66.25 feet; thence northerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the southern boundary of said Block 66.25 feet; thence southerly to the point of beginning; then beginning at a point on the West boundary of Block 11 in Hackleman's addition to the City of Albany Linn County Oregon  $103\frac{1}{2}$  feet from the south West corner of said Block and running thence Easterly and parallel with the southern boundary of said Block 132.5 feet; thence northerly and parallel with the western boundary of said Block 10 feet; thence Westerly and parallel with the southern boundary of said Block 132.5 feet to the western boundary of said Block; thence southerly along said boundary to the place of beginning.  
And did ~~not~~ also report in writing on said date to said Council that he had made the following survey of the portions of lots 1.2.3.4.5.6.7 and 8 in Block No 14. in Hackleman's second addition to said City of Albany as necessary for a right of way for the construction and maintaining of a sewer over and across said lots in said Block; Beginning at a point on the western boundary of Block 14 in Hackleman's second addition to the city of Albany Linn County Oregon,  $101\frac{1}{2}$  feet from the north West corner of said Block and running thence Easterly and

parallel to the North boundary of said Block 66.05 feet; thence southerly and parallel to the Western boundary of said Block 10 feet; thence Westerly and parallel to the North boundary of said Block 66.05 feet to the West boundary of said Block; thence northerly along said West boundary to the place of beginning; then beginning at a point in Block 14 Hackleman's second addition to the city of Albany Linn County Oregon which is 66.05 feet distant from the Western and  $10\frac{1}{2}$  feet distant from the Northern boundary of said Block and running thence Easterly and parallel with the Northern boundary of said Block 66.05 feet; thence southerly and parallel with the Eastern boundary of said Block 10 feet thence Westerly and parallel with the Northern boundary of said Block 66.05 feet; thence northerly to the point of beginning; then beginning at a point on the Eastern boundary line of Block 14 in Hackleman's second addition to the city of Albany Linn County Oregon  $10\frac{1}{2}$  feet from the north East corner of said Block and running thence Westerly and parallel with the North boundary of said Block 132.1 feet; thence southerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel to the Northern boundary of said Block 132.1 feet to the Eastern boundary of said Block; thence northerly along said boundary to the place of beginning; and then beginning at a point on the Eastern boundary of Block 14 in Hackleman's <sup>second</sup> addition to the city of Albany Linn County Oregon  $10\frac{1}{2}$  feet from the South East corner of said Block and running thence Westerly parallel

with the southern boundary of said Block 132.1 feet; thence northerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the southern boundary of said Block 131.1 feet to the Eastern boundary of said Block; thence southerly along said boundary to the place of beginning; and then beginning at a point in Block 14 in Hackleman's second addition to the city of Albany Linn County Oregon which is 66.05 feet distant from the Western and 10½ feet distant from the southern boundary of said Block and running thence Easterly and parallel with the southern boundary of said Block 66.05 feet; thence Westerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the southern boundary of said Block 66.05 feet; thence southerly to the place of beginning; and then beginning at a point on the West boundary of Block 14 in Hackleman's second addition to the City of Albany Linn County Oregon and 10½ feet from the south West corner of said Block and running thence Easterly and parallel with the southern boundary of said Block 66.05 feet; thence Westerly and parallel with the western boundary line of said Block 10 feet; thence Westerly and parallel with the southern boundary of said Block 66.05 feet to the western boundary of said Block; thence along said boundary 10 feet to the place of beginning.

And did also further report in writing on said 9<sup>th</sup> day of June 1891 to said council that he had made the following survey of the portions of lots 1, 2, 3, 4, 5, 6, 7 and 8 in Block No 15 in Hackleman's second addition to the city as necessary for the right of

way for the construction and maintaining of  
a sewer over and across said lots; Beginning  
at a point on the western boundary of Block  
15 in Hackleman's second addition to the city  
of Albany Linn County Oregon 100 feet from the  
north West corner of said Block and running  
thence Easterly and parallel with the northern  
boundary of said Block 66.05 feet; thence  
southerly southerly and parallel with the  
Western boundary of said Block 10 feet; thence  
Westerly and parallel with the northern  
boundary of said Block 66.05 feet to the western  
boundary of said Block; thence northerly along  
said boundary to the place of beginning;  
then beginning at a point in Block 15 in  
Hackleman's second addition to the city of  
Albany Oregon which is 66.05 feet distant  
from the western and 100 feet distant from  
the northern boundary of said Block and  
running thence Easterly and parallel with  
the northern boundary of said Block 66.05  
feet thence southerly and parallel with  
the Eastern boundary of said Block 10 feet;  
thence Westerly and parallel with the  
northern boundary of said Block 66.05 feet  
thence northerly to the point of beginning;  
then beginning at a point in Block 15  
in Hackleman's second addition to the  
city of Albany Linn County Oregon which  
is 66.05 feet from the East boundary of  
said Block and 100 feet from the North  
boundary of said Block and running thence  
Westerly and parallel with the northern  
boundary of said Block 66.05 feet; thence  
southerly and parallel with the Eastern of  
said Block 10 feet; thence Easterly and  
parallel with the northern boundary of  
said Block 66.05 feet; thence northerly to  
the place of beginning 10 feet; then be-  
ginning at a point on the East boundary

of Block 15 in Hackleman's Second addition to the City of Albany Oregon 100 feet from the North East corner of said Block and running thence Westerly and parallel with the North boundary of said Block 66.05 feet; thence Southerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the North boundary of said Block 66.05 feet to the Eastern boundary of said Block; thence Northerly along said boundary 10 feet to the point of beginning; then beginning at a point on the Eastern boundary of Block 15 in Hackleman's second Addition to the City of Albany Linn County Oregon and 100 feet from the South East corner of said Block and running thence Westerly and parallel with the Southern boundary of said Block 66.05 feet; thence Northerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the Southern boundary of said Block 66.05 feet to the Eastern boundary of said Block; thence Southerly along said boundary to the place of beginning; then beginning at a point in Block 15 in Hackleman's second addition to the City of Albany Oregon which is 100 feet from the Southern boundary and 66.05 feet from the Eastern boundary of said Block and running thence Westerly and parallel with the Southern boundary of said Block 66.05 feet; thence Northerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the Southern boundary of said Block 66.05 feet; thence Southerly to the place of beginning; then beginning at a point which is in Block 15 in Hackleman's Second Addition to the city

of Albany Linn County Oregon and is 100 feet from the Southern boundary, and 66.05 feet from the Western boundary of said Block and running thence Easterly and parallel with the Southern boundary of said Block 66.05 feet; thence Northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Southern boundary of said Block 66.05 feet; thence Southerly to the point of beginning; and then beginning at a point on the West boundary of Block 15 in Hackleman's Second addition to the city of Albany Linn County Oregon and 100 feet from the South West corner of said Block and running thence Easterly and parallel with the Southern boundary of said Block 66.05 feet; thence Northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Southern boundary of said Block 66.05 feet to the western boundary of said Block; thence Southerly along said boundary to the place of beginning.

And did also report further in writing on said last mentioned date to said Council, that he had made the following survey of the portions of lots 3, 4, 5, and 6 in Block No. 25 in Hackleman's second addition to said City as necessary for a right of way for the construction and maintaining a sewer over and across said lots; Beginning at a point on the Western boundary of lot 3, Block 25, in Hackleman's second addition to the city of Albany Linn County Oregon and 10 feet from the South west corner of said lot and running thence Easterly and parallel with the Northern boundary of said Block 25; - 66 $\frac{1}{4}$  feet; thence Southerly and parallel with the Eastern boundary of

Said Block 20 feet; thence Westerly and parallel with the southern boundary of Said Block 66 $\frac{1}{4}$  feet; thence Northerly and parallel with the western boundary of Said Block 20 feet to the place of beginning; then beginning at a point on the Eastern boundary of Block 25 in Hackleman's Second addition to the city of Albany Linn County Oregon 103 feet from the North East corner of said Block and running thence Westerly and parallel with the Northern boundary of said Block 66 $\frac{1}{4}$  feet; thence Southerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the Northern boundary of said Block 66 $\frac{1}{4}$  feet to the Eastern boundary of said Block; thence Northerly along said boundary to the place of beginning; then beginning at a point on the Eastern boundary of Block 25 in Hackleman's Second addition to the city of Albany Linn County Oregon 103 feet from the South East corner of said Block and running thence Westerly and parallel with the Southern boundary of said Block 66 $\frac{1}{4}$  feet; thence Northerly and parallel with the Eastern boundary of said Block 10 feet; thence Easterly and parallel with the Northern boundary of said Block; thence Southerly along said boundary to the place of beginning.  
And said Surveyor did also report on said last mentioned date to said Council that he had made the following survey of the portions of lots 1, 2, 7, and 8, in Block No. 12, in the Eastern addition to said City as necessary for a right of way for the construction and maintaining of a sewer over and across said lots; Beginning at a point on the Western boundary of

Block 12 in the Eastern addition to the city of Albany Linn County Oregon 101.5 feet from the South West corner of said Block and running thence Easterly and parallel with the Northern boundary of said Block 134 feet; thence Northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Northern boundary of said Block 134 feet to the Western boundary of said Block; thence along said boundary Southerly to the place of beginning; then beginning at a point on the Western boundary of Block 12 in the Eastern addition to the city of Albany Linn County Oregon 101.5 feet from the North West corner of said Block and running thence Easterly and parallel with the Northern boundary of said Block 134 feet; thence southerly and parallel with the Eastern boundary of said Block 10 feet; thence Westerly and parallel with the Northern boundary of said Block 134 feet to the western boundary of said Block; thence Northwesterly along said Western boundary to the place of beginning.

And said Surveyor did also at said last mentioned time report in writing to said Council that he had made the following survey of the portions of lots 1, 2, 3, and 8 in Block No. 13 in the Eastern addition to said City as necessary for a right of way for the construction and maintaining of a sewer over and across said lots;

Beginning at a point on the Western boundary of Block 13 in the Eastern addition to the city of Albany Linn County Oregon 103 feet from the North West corner of said Block and running thence Easterly and parallel with the Northern boundary of said Block 134 feet; thence

Southerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Northern boundary of said Block 134 feet to the Western boundary of said Block; thence Northerly and along said boundary to the place of beginning; then beginning at a point in Block 13 in the Eastern addition to the city of Albany Linn County Oregon which is 108 feet from the Southern and 67 feet from the Western boundary of said Block and running thence Easterly and parallel with the Southern boundary of said Block 67 feet thence Northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Southern boundary of said Block 67 feet; thence southerly to the place of beginning; then begining at a point on the Western boundary of Block 13 in the Eastern addition to the city of Albany Linn County Oregon 103 feet from the South West corner of said Block and running thence Easterly and parallel with the Southern boundary of said Block 67 feet; thence northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Southern boundary of said Block 67 feet to the Western boundary of said Block; thence southerly along said boundary to the place of beginning.

*now*  
And at said last mentioned date said surveyor did further report in writing to said council that he had made the following survey of the portions of lots 1, 2, 7, and 8 in Block 14 in the Eastern addition to the city of Albany Oregon as necessary for a right of way for the construction and maintaining of a sewer over and

2  
across said lots; Beginning at a point on the western boundary of Block 14 in the Eastern addition to the City of Albany Linn County Oregon and 103 $\frac{1}{2}$  feet from the north West corner of said Block and running thence Westerly and parallel with the Northern boundary of said Block 67 feet; thence Southerly and parallel with the Eastern boundary of said Block 10 feet; thence Westerly and parallel with the Northern boundary of said Block 67 feet to the western boundary of said Block; thence along said Western boundary to the place of beginning; then beginning at a point on the Western boundary of lot 2. Block 14 in the Eastern addition to the city of Albany Linn County Oregon. and 10 feet from the south west corner of said lot and running thence Easterly and parallel with the Northern boundary of said Block 14-67 feet; thence Southerly and parallel with the Eastern boundary of said Block 10 feet; thence Westerly and parallel with the Southern boundary of said Block 67 feet; thence Northerly to the place of beginning; then beginning at a point on the Western boundary of Block 14 in the Eastern addition to the city of Albany Linn County Oregon and 103 $\frac{1}{2}$  feet from the South West corner of said Block and running thence Easterly and parallel with the Southern boundary of said Block 17 feet; thence Northerly and parallel with the Western boundary of said Block 10 feet; thence Westerly and parallel with the Northern boundary of said Block 17 feet; to the Western boundary of said Block; thence along said boundary to the place of beginning; then beginning at a point on the Eastern boundary of lot 3. in Block 14 in the Eastern addition to the City of Albany Linn County Oregon and

running thence Westerly and parallel with the Southern boundary of said Block 14, 57 feet; thence northerly and parallel with the Western boundary of said Block 10 feet; thence Easterly and parallel with the Southern boundary of said Block 57 feet; thence Southerly and parallel with the Western boundary of said Block 10 feet to the place of beginning; and,

Whereas said surveyor did make and attach a correct plat of each of said surveys to his said respective reports thereof, showing the particular portions of each of said lots and Block respectively required for the respective rights of way necessary for the construction and maintaining of such sewers over and across such portions of said lots and Blocks; and,

Whereas said reports of said surveyor are respectively satisfactory to said Council; therefore,

The People of the City of Albany do Ordain as follows:

Section 1. That each of said Reports of said Surveyor so made by said Surveyor be and are hereby respectively approved and adopted in all things as set forth by said Surveyor.

Section 2. This ordinance shall be in full force and effect from and after its approval by the Mayor.

Passed the Council June 13, 1891.

Approved June 20<sup>th</sup> 1891.

Attest:

J. G. Hector, J. L. Corrall Mayor.  
Recorder of the City of Albany.

State of Oregon, }  
County of Lane }

Office of City Recorder.

L. H. J. Stanton, Recorder of the City of Albany  
Oregon do hereby certify that the foregoing  
Ordinance No. 214, has been by me carefully  
compared with the original ordinance bill no 223,  
now on file in this office, and that it is a true  
and correct copy of all and the whole of said  
Ordinance bill, as passed by the Council June 13,  
1891.

In testimony whereof, I have hereunto set  
my hand and affixed hereto the seal of the City of  
Albany this 15<sup>th</sup> day of June, A.D. 1891.

H. J. Stanton

Recorder of the City of Albany.

