

Ordinance No 256.

An ordinance adopting certain reports of certain surveys made by W.B. Barr the City Surveyor of the City of Albany Oregon in pursuance of Resolution No 28 adopted by the Council of said city on the 14th day of June 1892 which said reports and surveys show the boundaries, descriptions and lots of the parts of blocks Nos. 38, 39, 41, 42, 43 and 44 in Hackleman's Second Addition to the City of Albany Linn County Oregon and the parcels of land therein contained necessary for rights of way for the construction and maintaining of a lateral sewer over and across each of said blocks and running in a direction parallel with the north boundaries of said blocks, said reports of such surveys having been filed with the Recorder of said City on the 28th day of June 1892.

Whereas the Common Council of the City of Albany did on the 14th day of June 1892 declare by resolution No 28 that it is necessary and expedient to day and construct a sewer over and across block No 38 in Hackleman's Second Addition to the City of Albany Oregon at or near the center of said block and in a direction running parallel with the north boundary line of said block and the parcels of land therein over and across which said sewer is proposed to be constructed being private property and also that it is expedient to day and construct a sewer over and across block No 39 in Hackleman's Second Addition to said City of Albany at or near the center of said block and running in a direction parallel with the north boundary line thereof said block and parcels of land therein over and across which it is proposed to construct said sewer being private property and.

Whereas said council did on the 14th day of June

1892 a/cuse in Resolution No 25 that it is expedient
to lay and construct a sewer over and across block
No 41 in Hackmann's Second Addition to said City
at or near the center of said block and running
in a direction parallel with the north boundary
line thereof said block and the parcels of land
over which it is proposed to construct such
sewer being private property and also that it
is expedient to lay and construct a sewer over
and across block No 42 in Hackmann's Second
Addition to said City at or near the center
thereof and running in a direction parallel
with the north boundary line of said block
said block and the parcels of land therein
over which it is proposed to construct such
sewer being private property and also that
it was necessary and expedient to lay and
construct a sewer over and across block
No 43 in Hackmann's Second Addition to
said City of Albany at or near the center of
said block and running in a direction
parallel with the north boundary line
thereof said block and the parcels of land
therein over and across which it is proposed
to lay and construct such sewer being
private property and also that it is necessary
to lay and construct a sewer over and across
block No 44 in Hackmann's Second Addition
to said City at or near the center of said
block and running in a direction parallel
with the north boundary line thereof said
block and parcels of land therein over which
it is proposed to construct such sewer
being private property and
Whereas said Council did on said 14th
day of June 1892 direct and order the Surveyor
of said City to survey and make a full and
perfect description and plat of the boundaries
of such respective proposed sewers and

the portions of said blocks respectively
and the parcels of land therein necessary to
be appropriated as and for a right of way
for such sewers respectively and to mark the
boundaries of such sewers and parcels of land
required for rights of way for the laying and
constructing of each of such sewers and to report
such surveys respectively in writing to said
Council And

Whereas said Surveyor did make such surveys
as so directed by said Resolution and on the
25th day of June 1892 did make his report in
writing to said Council of his survey and
descriptions of a right of way for a sewer
over and across each of said blocks in the
City of Albany and of the portion of the
parcels of land in said blocks necessary for
a right of way for the construction of a sewer
over and across each of said blocks and did
append to each of said reports a connect plan
of each of said surveys showing the particular
portions of each of said blocks and the
respective parcels of land therein required for
the respective rights of way necessary for the
constructing and maintaining of each of such
sewers over and across such portions of said
blocks and parcels of land therein, therefore

The People of the City of Albany do ordain as follows

Section 1. That the said report of said City
Surveyor of his said survey of a right of way
for a lateral sewer over and across Block
No 38 in Hackmann's Second Addition to the
City of Albany Linn County Oregon which
said original report is as follows, be
and the same is in all things hereby approved
and adopted

Albany Oregon June 25 1892

To the Honorable Mayor and Council of the
City of Albany

In accordance with Resolution No 28 said resolution having been adopted by the Council at a meeting thereof held on the 4th day of June 1892 I most respectfully report to you that I have made the following survey in Block No 38 in Staclemans 2nd Addition to the City of Albany Linn County Oregon as directed to be made by said resolution No 28 and hereby report that it is necessary to appropriate the following described parcels of land situated in said block for a right of way for the construction of a sewer over and across said block to wit


Beginning at a point on the eastern boundary of Block No 38 in Staclemans 2nd Addition to the City of Albany Linn County Oregon 11 1/2 feet from the north east corner of said block and running thence westerly and parallel with the northern boundary of said block to the western boundary of said block thence southerly and along said western boundary 10 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block thence northerly and along said eastern boundary to the point of beginning also

Beginning at a point in the eastern boundary of Block 38 in Staclemans 2nd Addition to the City of Albany Linn County Oregon 10 1/2 feet from the south east corner of said block and running thence westerly and parallel with the southern boundary of said block 10 1/2 feet thence northerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the southern boundary

of said block to the eastern boundary of said
block thence southerly and along said eastern
boundary to the point of beginning also
Beginning at a point on the western boundary
of block 37 in Hackleman's 2nd Addition to
the City of Albany Linn County Oregon 10 1/2
feet from the south west corner of said
block and running thence easterly and
parallel with the southern boundary of
said block 13 1/2 feet thence northerly and
parallel with the eastern boundary of said
block 10 feet thence westerly and parallel
with the northern boundary of said block to the
western boundary of said block, thence
southerly and along said western boundary
to the point of beginning also that the
following is a description of the right
of way required for the construction of
a sewer over and across said block.
Beginning at a point on the eastern
boundary of block 35 in Hackleman's
2nd Addition to the City of Albany Linn
County Oregon 10 1/2 feet from the south
east corner of said block and running
thence westerly and parallel with the
southern boundary of said block to the
western boundary of said block thence
northerly and along said western boundary
20 feet thence easterly and parallel with
the northern boundary of said block to
the eastern boundary of said block thence
southerly and along said eastern boundary
to the point of beginning

111

Red line bounds right of way



That the above descriptions of lot and boundaries
for such sewer are as surveyed and marked
by me in pursuance of said resolution

W. B. Barr

City Surveyor

Section 2. That the said report of said City
Surveyor of his said survey of a right of
way for a lateral sewer over and across
block No 39 in Hackmann's Second Addition
to the City of Albany Linn County Oregon
which said original report is as follows
the same is hereby in all things
approved and adopted

Albany Oregon June 28th 1892

To the Honorable Mayor and Council of the
City of Albany


In accordance with Resolution
No 28 said resolution having been adopted by
the council at a meeting thereof held on the
14th day of June 1892 I most respectfully
report to you that I have made the following
survey in block No 39 in Hackmann's 2nd
Addition to the City of Albany Linn County
Oregon as directed to be made by said
resolution No 28 and hereby report that it is
necessary to appropriate the following described
parcels of land situated in said block for

a right of way for the construction of a sewer
over and across said block. To wit
Beginning at a point on the western boundary of
Block 39 in Hackmans 2nd Addition to the
City of Albany Linn County Oregon 100 feet from
the north west corner of said block and
running thence easterly and parallel with
the northern boundary of said block 66 $\frac{1}{4}$ feet
thence southerly and parallel with the western
boundary of said block 10 feet thence westerly
and parallel with the southern boundary of
said block to the western boundary of said
block thence northerly and along said western
boundary to the point of beginning also
Beginning at a point on the eastern boundary
of block 39 in Hackmans 2nd Addition to the
City of Albany Linn County Oregon 100 feet
from the south east corner of said block
and running thence easterly and parallel with
the northern boundary of said block 198 $\frac{3}{4}$ feet
thence southerly and parallel with the western
boundary of said block 20 feet thence easterly
and parallel with the southern boundary of
said block to the eastern boundary of said
block thence northerly and along said
eastern boundary to the point of beginning also
Beginning at a point on the western boundary
of block 39 in Hackmans 2nd Addition
to the City of Albany Linn County Oregon
100 feet from the south west corner of
said block and running thence easterly and
parallel with the southern boundary of said
block 66 $\frac{1}{4}$ feet thence northerly and parallel
with the western boundary of said block
10 feet thence westerly and parallel with the
northern boundary of said block to the
western boundary of said block thence easterly
and along said western boundary to the point
of beginning and also that the following is

a description of the right of way required
for the construction of a sewer over and
across said block.

Beginning at a point on the eastern boundary
of Block 39 in Hauckmann's 2nd Addition to
the City of Albany Linn County Oregon 20 feet
from the north east corner of said block
and running thence westerly and parallel
with the Northern boundary of said block
to the western boundary of said block then
southerly and along said western boundary
20 feet thence easterly and parallel with the
Southern boundary of said block to the
eastern boundary of said block thence north
and along said eastern boundary to the point
of beginning.

Red line bounds right of way



That the above description of lot and boundaries
for such sewer are as surveyed and marked
by me in pursuance of said resolution

P. B. Barr
City Surveyor

Section 3 That the said report of said City
Surveyor of this said survey of a right
of way for a lateral sewer over and across
block 39 in Hauckmann's Second Addition
to the City of Albany Linn County Oregon
which said original report is so challeged
be and the same as hereby in all things
approved and adopted

Albany Oregon June 25th 1892


To the Honorable Mayor and Council of the
City of Albany

In accordance with Resolution No 28 said resolution having been adopted by the Council at a meeting thereof held on the 25th day of June 1892 I most respectfully report to you that I have made the following survey in Block No 41 in Hacklemans 2nd Addition to the City of Albany Linn County Oregon so directed as to be made by said Resolution No 28 and hereby report that it is necessary to ascertain the following described parcel of land situated in said block for a right of way for the construction of a sewer over and across said block, town.

Beginning at a point on the eastern boundary of block 41 in Hacklemans 2nd Addition to the City of Albany Linn County Oregon 101 feet from the north east corner of said block and running thence easterly and parallel with the northern boundary of said block to the western boundary of said block thence southerly and along said western boundary 20 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block thence northerly and along said eastern boundary to the point of beginning and also that the foregoing is a description of the right of way required for the construction of a sewer over and across said block

Realine Boundary right of way

265'



Section 4. That the said report of said City Surveyor of his said survey of a right of way for a lateral sewer over and across block No 42 in Hackleman's Second Addition to the City of Albany Linn County Oregon which said report is as follows be and the same is hereby in all things approved and adopted

Albany Oregon June 28 1892

To the Honorable Mayor and Council of the City of Albany.


In accordance with Resolution No 28 said resolution having been adopted by the council at a meeting thereof held on the 14th day of June 1892 I most respectfully report to you that I have made the following survey in block No 42 in Hackleman's 2nd Addition to the City of Albany Linn County Oregon as directed to be made by said resolution No 28 and hereby report that it is necessary to accommodate the following described parcels of land situated in said block for a right of way for the construction of a sewer over and across said block. To wit Beginning at a point on the western boundary of block 42 in Hackleman's 2nd Addition to the City of Albany Linn County Oregon 10 feet from the north west corner of said block and running thence easterly and parallel with the northern boundary of said block 132 1/2 feet thence southerly and parallel with the eastern boundary of said block 20 feet thence westerly and parallel with the southern boundary of said block to the western boundary of said block thence northerly and along said western boundary to the point of beginning Also Beginning at a point on the eastern bound-

of block 42 in Hackmann's Addition to the City of Albany Linn County Oregon and 100 feet from the north east corner of said block and running thence westerly and parallel with the northern boundary of said block 132 1/2 feet thence southerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block thence northerly and along said eastern boundary to the point of beginning also

Beginning at a point on the eastern boundary of block 42 in Hackmann's 2nd Addition to the City of Albany Linn County Oregon 100 feet from the south east corner of said block and running thence westerly and parallel with the southern boundary of said block 132 1/2 feet thence northerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block thence southerly and along said eastern boundary to the point of beginning and that the following is a description of the required right of way for the construction of a sewer over and across said block.

Beginning at a point on the eastern boundary of block 42 in Hackmann's 2nd Addition to the City of Albany Linn County Oregon 100 feet from the north east corner of said block and running thence westerly and parallel with the northern boundary of said block to the western boundary of said block thence southerly and along said western boundary 20 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said

block. thence northerly and along said
easter boundary to the point of beginning.
Red line bounds right of way



Scale 100' = 1"

That the above descriptions plat and boundaries
of such sewer are as surveyed and marked
by me in pursuance of said resolution.

H. B. Orr

City Surveyor.

Section 5. That the said report of said City
Surveyor of his said survey of a right of
way for a lateral sewer over and across
block No 43 in Hackettman's Second Addition
to the City of Albany Linn County Oregon
which said original report is as follows
be and the same is hereby in all things
approved and adopted.

Albany Oregon June 25th, 1892

To the Honorable Mayor and Council of the
City of Albany.

In accordance with Resolution
No 25 said resolution having been adopted
by the Council at a meeting thereof held
in the 14th day of June 1892 almost reluctantly
resort is again had that dehne made the
following survey in block No 43 in
Hackettman's 2nd Addition to the City of Albany
Linn County Oregon as directed to be made by
said resolution No 25 and hereby report that

it is necessary to appropriate the following described parcels of land situated in said block for a right of way for the construction of a sewer over and across said block to wit, Beginning at a point on the western boundary of block 43 in Stacklemans 2nd Addition to the City of Albany Linn County Oregon 100 feet from the north west corner of said block and running thence easterly and parallel with the northern boundary of said block 132 $\frac{1}{2}$ feet, thence southerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the southern boundary of said block to the western boundary of said block thence northerly and along said western boundary to the point of beginning also.

Beginning at a point on the eastern boundary of block 43 in Stacklemans 2nd Addition to the City of Albany Linn County Oregon 100 feet from the north east corner of said block and running thence westerly and parallel with the northern boundary of said block 132 $\frac{1}{2}$ feet, thence southerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block thence northerly and along said eastern boundary to the point of beginning also.

Beginning at a point on the eastern boundary of block 43 in Stacklemans 2nd Addition to the City of Albany Linn County Oregon 100 feet from the south east corner of said block and running thence westerly and parallel with the southern boundary of said block 132 $\frac{1}{2}$ feet thence northerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the

southern boundary of said block to the western boundary of said block thence southerly and along said eastern boundary to the point of beginning also


Beginning at a point on the western block 43 in the addition to the City of Albany Linn County Oregon 100 feet from the western and 100 feet from the southern boundaries of said block and running thence easterly and parallel with the southern boundary of said block 10 feet thence northerly and parallel with the western boundary of said block 100 $\frac{1}{4}$ feet thence westerly to the point of beginning also

Beginning at a point on the western boundary of block 43 in Shacklemans 2nd Addition to the City of Albany Linn County Oregon 100 feet from the south west corner of said block and running thence easterly and parallel with the southern boundary of said block 60 $\frac{1}{4}$ feet thence northerly and parallel with the western boundary of said block 10 feet thence westerly and parallel with the southern boundary of said block to the western boundary of said block thence southerly and along said western boundary to the point of beginning and also that the following is a description of the required right of way for the construction of a sewer easement across said block.

Beginning at a point on the eastern boundary of block 43 in Shacklemans 2nd Addition to the City of Albany Linn County Oregon 100 feet from the north east ~~south~~ boundary of said block and running thence westerly and parallel with the northern boundary of said block to the western boundary of said block thence southerly and along said

western boundary so that same easterly and parallel with the southern boundary of said block to the eastern boundary of said block, thence northerly and along said western boundary to the point of beginning.

Red line bounds right of way.



Scale 1/8" = 1'

That the above description of lot and boundaries for such sewer are as surveyed and marked by me in pursuance of said resolution

H. B. Barr
City Surveyor

Section 6 That the said report of said City Surveyor of his said survey of a right of way for a lateral sewer over and across Block No 44 in Hackleman's Second Addition to the City of Albany, Albany County Oregon which said original report is as follows viz and the same is hereby in all things approved and adopted.

Albany Oregon June 25. 1872

To the Honorable Mayor and Council of the City of Albany,

In accordance with Resolution No 28 said resolution having been adopted by the Council at a meeting thereof held on the 14th day of June 1872 I most respectfully report to you that I have made the following survey in block No 44 in

111


Hackmann's 2nd Addition to the City of
Albany Linn County Oregon as directed to
be made by said resolution No 25 find
hereby report that it is necessary to
appropriate the following described areas
of land situated in said block for a
right of way for the construction of a
sewer over and across said block about
beginning at a point on the western bound-
ary of River 44 in Hackmann's 2nd
Addition to the City of Albany Linn
County Oregon 101 feet from the north
west boundary of said river and running
thence easterly and parallel with the
northern boundary of said block 132 1/2
feet thence southerly and parallel with
the eastern boundary of said block 10
feet thence westerly and parallel with the
southern boundary of said block to the
western boundary of said river thence
northerly and along said western boundary
of said block to the point of beginning.
Beginning at a point on the eastern boundary
of Block 44 in Hackmann's 2nd Addition
to the City of Albany Linn County Oregon
101 feet from the south east corner of
said block and running thence easterly
and parallel with the northern boundary
of said block 132 1/2 feet thence southerly
and parallel with the eastern boundary
of said block 10 feet thence easterly and
parallel to the southern boundary of
said block to the eastern boundary of
said block thence northerly and along
said eastern boundary to the point of beginning.
Beginning at a point on the eastern bound-
ary of Block 44 in Hackmann's second
Addition to the City of Albany Linn County
Oregon 101 feet from the south east

corner of said block and running thence westerly and parallel with the southern boundary of said block 32 1/2 feet thence northerly and parallel with the eastern boundary of said block 10 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block thence southerly and along said eastern boundary to the point of beginning also

Beginning at a point on the western boundary of block 44 in Hackleman's Second Addition to the City of Albany Linn County Oregon 101 feet from the South west corner of said block and running thence easterly and parallel with the southern boundary of said block 32 1/2 feet thence northerly and parallel with the western boundary of said block 10 feet thence westerly and parallel with the northern boundary of said block to the western boundary of said block thence southerly and along said western boundary to the point of beginning and also that the following is a description of the required right of way for the construction of a sewer down and across said block.

Beginning at a point on the eastern boundary of block 44 in Hackleman's Second Addition to the City of Albany Linn County Oregon 101 feet from the north east corner of said block and running thence westerly and parallel with the northern boundary of said block to the western boundary of said block thence southerly and along said western boundary 20 feet thence easterly and parallel with the southern boundary of said block to the eastern boundary of said block

stence northerly and along said eastern boundary to the point of beginning
Red line Bounds right of way



Scale 100'=1"

That the above descriptions, sit and boundaries for such sever are as surveyed and marked by me in pursuance of said resolution

W. E. Barr

City Surveyor

Section 7. This ordinance shall be in full force and effect from and after its approval by the Mayor

Passed the council June 28th 1892.

Approved July 9th 1892.

Attest:

J. H. Stanton

Recorder of the City of Albany.

J. L. Corrane

Mayor of the City of Albany

Recorder's Certificate to Ordinance No. 356.

Office of City Recorder

State of Oregon, ss
County of Lane

I, J. H. Stanton, Recorder of the City of Albany Oregon, do hereby certify that the foregoing Ordinance No. 356 has been by me carefully compared with the original

estimated bill no. 263, now on file in
this office and that it is a true and correct
transcript of all and the whole of said
original bill as passed by the Council of
said city. June 28th 1892,

In testimony whereof I have hereunto
set my hand and affixed the seal of
the City of Albany this 9th day of July A.D.
1892.

Zephaniah
Recorder of the City of Albany.

